









Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per Piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
<b>OMC 9.9HP</b> Crossflow <i>Must use bearing kit part #W5215</i>	1974-80	2	2.188"/Std. 2.208"/.020 2.218"/.030	3136PS 3136P2 3136P3	\$68.00	2188KD 2208KD 2218KD	S510	W5413	W5215
<b>OMC 9.9HP</b> Crossflow	1981-92	2	2.188"/Std. 2.208"/.020 2.218"/.030	3136PS 3136P2 3136P3	\$68.00	2188KD 2208KD 2218KD	S510	W5413	W5215
<b>OMC 15HP</b> Crossflow <i>Must use bearing kit part #W5215</i>	1974-80	2	2.188"/Std. 2.208"/.020 2.218"/.030	3136PS 3136P2 3136P3	\$68.00	2188KD 2208KD 2218KD	S510	W5413	W5215
<b>OMC 15HP</b> Crossflow	1981-92	2	2.188"/Std. 2.208"/.020 2.218"/.030	3136PS 3136P2 3136P3	\$68.00	2188KD 2208KD 2218KD	S510	W5413	W5215
<b>OMC 18, 20HP Jet</b> Crossflow	1995-00	2	3.000"/Std. 3.020"/.020 3.030"/.030	* 3127PS * 3127P2 3127P3	B.O.D. \$116.00	3000KD 3020KD 3030KD	S479	W5263	W5217
<b>OMC 20HP</b> Crossflow	1985-98	2	3.000"/Std. 3.020"/.020 3.030"/.030	* 3127PS * 3127P2 3127P3	B.O.D. \$116.00	3000KD 3020KD 3030KD	S479	W5263	W5217
<b>OMC 25HP</b> Crossflow	1977-80	2	3.000"/Std. 3.020"/.020 3.040"/.040	3128PS 3128P2 3128P4	\$90.00	3000KD 3020KD 3040KD	S502	CW16	
<b>OMC 25HP</b> Crossflow	1981-05	2	3.000"/Std. 3.020"/.020 3.030"/.030	* 3127PS * 3127P2 3127P3	B.O.D. \$116.00	3000KD 3020KD 3030KD	S479	W5263	W5217
<b>OMC 25HP</b> Crossflow	1986-96	2	3.000"/Std. 3.020"/.020 3.030"/.030	* 3127PS * 3127P2 3127P3	B.O.D. \$116.00	3000KD 3020KD 3030KD	S479	W5263	W5217
<b>OMC 28HP Jet</b> Loop Charge 	1996-97	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$90.00	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>OMC 30HP</b> Crossflow	1984-05	2	3.000"/Std. 3.020"/.020 3.030"/.030	* 3127PS * 3127P2 3127P3	B.O.D. \$116.00	3000KD 3020KD 3030KD	S479	W5263	W5217
<b>OMC 35HP</b> Crossflow	1976-80	2	3.000"/Std. 3.020"/.020 3.040"/.040	3128PS 3128P2 3128P4	\$90.00	3000KD 3020KD 3040KD	S502	CW16	
<b>OMC 35HP</b> Crossflow	1981-90	2	3.000"/Std. 3.020"/.020 3.030"/.030	* 3127PS * 3127P2 3127P3	B.O.D. \$116.00	3000KD 3020KD 3030KD	S479	W5263	W5217
<b>OMC 35HP</b> Loop Charge 	1986-87	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$90.00	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>OMC 35HP</b> Jet Pump 	1990-00	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$90.00	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>OMC 40HP</b> Loop Charge 	1984-05	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$90.00	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>Evinrude 40HP</b> DI & E-Tec	2004-07	2	3.601"/Std. 3.621"/.020 3.631"/.020 3.641"/.030	3211PS 3211P2 3211P3 3211P4	\$90.00	3600KD 3620KD 3630KD 3640KD	S473	W5263	TBA
<b>OMC 45HP</b> Loop Charge 	1986-97	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$90.00	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>OMC 48HP</b> Loop Charge 	1987-96	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$90.00	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217

- Anodized for extra strength
- Semi-Keystone ring design offers maximum seal with less than 1% ring blow-by
- Wide range of over-sizes available for sleeved cylinders

Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per Piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
<b>OMC 50HP</b> Loop Charge 	1981-05	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$90.00	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>OMC 50HP</b> Loop Charge	1995-98	3	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3172PS 3172P2 3172P3 3172P4	\$110.00	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>Evinrude 50HP</b> DI & E-Tec	2004-07	2	3.601"/Std. 3.621"/.020 3.631"/.030 3.641"/.040	3211PS 3211P2 3211P3 3211P4	\$90.00	3600KD 3620KD 3630KD 3640KD	S473	W5263	TBA
<b>OMC 55HP</b> Loop Charge	1976-78	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3125PS 3125P2 * 3125P3 * * 3125P4 *	\$152.00  B.O.D. B.O.D.	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>OMC 55HP</b> Commercial Loop Charge 	1980-00	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$90.00	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>OMC 60HP</b> Loop Charge 	1980-85	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$90.00	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>Evinrude 60HP</b> DI & E-Tec	2004-07	2	3.601"/Std. 3.631"/.020 3.641"/.030	3211PS 3211P2 3211P3 3211P4	\$90.00	3600KD 3620KD 3630KD 3640KD	S473	W5263	TBA
<b>OMC 60HP</b> Loop Charge 	1986-88	3	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3115PS 3115P2 3115P3 3115P4	\$100.00	3000KD 3020KD 3030KD 3040KD	S479	W5263	W5217
<b>OMC 60HP</b> Loop Charge 	1989-01	3	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3172PS 3172P2 3172P3 3172P4	\$110.00	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>OMC 65HP</b> Loop Charge  <i>Must use bearing kit part #B1029</i>	1972-73	3	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3115PS 3115P2 3115P3 3115P4	\$100.00	3000KD 3020KD 3030KD 3040KD	S479	W5263	B1029
<b>OMC 65HP</b> Commercial Loop Charge 	1984-86	3	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3115PS 3115P2 3115P3 3115P4	\$100.00	3000KD 3020KD 3030KD 3040KD	S479	W5263	W5217
<b>OMC 65HP</b> Loop Charge 	1986-93	3	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3172PS 3172P2 3172P3 3172P4	\$110.00	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>OMC V4 65HP Jet</b> Crossflow 	1992-97	4	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$102.00	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>OMC 70HP</b> Loop Charge  <i>Must use bearing kit part #B1029</i>	1974-75	3	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3115PS 3115P2 3115P3 3115P4	\$100.00	3000KD 3020KD 3030KD 3040KD	S479	W5263	B1029
<b>OMC 70HP</b> Loop Charge	1976-85	3	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3115PS 3115P2 3115P3 3115P4	\$100.00	3000KD 3020KD 3030KD 3040KD	S479	W5263	W5217









Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per Piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
<b>OMC 70HP</b> Loop Charge Coated Skirt	1986-01	3	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3172PS 3172P2 3172P3 3172P4	\$110.00	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>OMC 75HP</b> Loop Charge Coated Skirt Must use bearing kit part #B1029	1975	3	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3115PS 3115P2 3115P3 3115P4	\$100.00	3000KD 3020KD 3030KD 3040KD	S479	W5263	B1029
<b>OMC 75HP</b> Loop Charge Coated Skirt	1976-88	3	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3115PS 3115P2 3115P3 3115P4	\$100.00	3000KD 3020KD 3030KD 3040KD	S479	W5263	W5217
<b>Evinrude 75HP</b> DI & E-Tec Coated Skirt	2004-07	3	3.601"/Std. 3.621"/.020 3.631"/.030 3.641"/.040	3211PS 3211P2 3211P3 3211P4	\$90.00	3600KD 3620KD 3630KD 3640KD	S473	W5263	TBA
<b>Evinrude Johnson Ficht V4 75HP</b>	2000-03	4	3.601"/Std.  3.621"/.020  3.631"/.030  3.641"/.040	3177PS (Port) 3177SS (Starb) 3177P2 (Port) 3177S2 (Starb) 3177P3 (Port) 3177S3 (Starb) 3177P4 (Port) 3177S4 (Starb)	\$130.00	3600KD  3620KD  3630KD  3640KD	S473	W5263	W5217
<b>OMC V4 80HP Jet</b> Crossflow Coated Skirt	1991-97	4	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$102.00	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>Crossflow V4 85HP</b>	1974-78	4	3.375"/Std. 3.395"/.020 3.405"/.030	3176PS 3176P2 3176P3	\$110.00	3375KD 3395KD 3405KD	S474	W5263	W5217
<b>OMC V4 85HP</b> Crossflow Coated Skirt	1979-80, 1991-95	4	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$102.00	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>OMC V4 88HP</b> Crossflow Coated Skirt	1988-96	4	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$102.00	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>Evinrude 90HP</b> DI & E-Tec	2004-07	3	3.601"/Std. 3.621"/.020 3.631"/.030 3.641"/.040	3211PS 3211P2 3211P3 3211P4	\$90.00	3600KD 3620KD 3630KD 3640KD	S473	W5263	TBA
<b>OMC V4 90HP</b> Crossflow Coated Skirt	1981-98	4	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$102.00	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>OMC V4 60° 90HP</b> Eagle Series Coated Skirt	1995-06	4	3.601"/Std.  3.621"/.020  3.631"/.030  3.641"/.040	3133PS (Port) 3133SS (Starb) 3133P2 (Port) 3133S2 (Starb) 3133P3 (Port) 3133S3 (Starb) 3133P4 (Port) 3133S4 (Starb)	\$125.00	3600KD  3620KD  3630KD  3640KD	S473	W5263	W5217
<b>Evinrude Johnson Ficht V4 90HP</b>	2000-02	4	3.601"/Std.  3.621"/.020  3.631"/.030  3.641"/.040	3177PS (Port) 3177SS (Starb) 3177P2 (Port) 3177S2 (Starb) 3177P3 (Port) 3177S3 (Starb) 3177P4 (Port) 3177S4 (Starb)	\$130.00	3600KD  3620KD  3630KD  3640KD	S473	W5263	W5217

- Anodized for extra strength
- Semi-Keystone ring design offers maximum seal with less than 1% ring blow-by
- Wide range of over-sizes available for sleeved cylinders

Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per Piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
<b>OMC V4 100HP</b> Crossflow 	1979-80 & 1992-97	4	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$102.00	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>OMC V4 100HP Commercial</b> Crossflow 	1979-80 & 1984-97	4	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$102.00	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>OMC V4 100HP</b> Crossflow 	1986-89	4	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$102.00	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>OMC V4 60° 105HP Jet</b> Eagle Series 	1995-00	4	3.601"/Std.  3.621"/.020  3.631"/.030  3.641"/.040	3133PS (Port) 3133SS (Starb) 3133P2 (Port) 3133S2 (Starb) 3133P3 (Port) 3133S3 (Starb) 3133P4 (Port) 3133S4 (Starb)	\$125.00	3600KD  3620KD  3630KD  3640KD	S473	W5263	W5217
<b>OMC V4 110HP</b> Crossflow 	1986-89	4	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$102.00	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>OMC V4 112HP</b> Crossflow 	1994-96	4	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$102.00	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>OMC V4 115HP</b> Crossflow 	1974-85, 1990-98	4	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$102.00	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>OMC V4 60° 115HP</b> Eagle Series 	1995-06	4	3.601"/Std.  3.621"/.020  3.631"/.030  3.641"/.040	3133PS (Port) 3133SS (Starb) 3133P2 (Port) 3133S2 (Starb) 3133P3 (Port) 3133S3 (Starb) 3133P4 (Port) 3133S4 (Starb)	\$125.00	3600KD  3620KD  3630KD  3640KD	S473	W5263	W5217
<b>Evinrude Johnson Ficht V4 115HP</b>	2000-06	4	3.601"/Std.  3.621"/.020  3.631"/.030  3.641"/.040	3177PS (Port) 3177SS (Starb) 3177P2 (Port) 3177S2 (Starb) 3177P3 (Port) 3177S3 (Starb) 3177P4 (Port) 3177S4 (Starb)	\$130.00	3600KD  3620KD  3630KD  3640KD	S473	W5263	W5217
<b>Evinrude 115HP E-Tec</b> 	2007-08	4	3.600"/Std.  3.620"/.020  3.630"/.030  3.640"/.040	3209PS (Port) 3209SS (Starb) 3209P2 (Port) 3209S2 (Starb) 3209P3 (Port) 3209S3 (Starb) 3209P4 (Port) 3209S4 (Starb)	\$90.00	3600KD  3620KD  3630KD  3640KD	S473	W5263	TBA
<b>OMC V4 120HP</b> Loop Charge	1985-87	4	3.500"/Std.  3.520"/.020  3.530"/.030  3.544"/.044	3118PS (Port) 3118SS (Starb) 3118P2 (Port) 3118S2 (Starb) 3118P3 (Port) 3118S3 (Starb) 3118P4 (Port) 3118S4 (Starb)	\$120.00	3500KD  3520KD  3530KD  3544KD	S493	CW24	W5218

Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per Piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
<b>OMC V4 120HP</b> Loop Charge  Coated Skirt	1988-94	4	3.685"/Std.	3119PS (Port)	\$120.00	3685KD	S493	CW24	W5218
			3.705"/.020	3119SS (Starb)		3705KD			
			3.715"/.030	3119P2 (Port)		3715KD			
			3.725"/.040	3119S2 (Starb)		3725KD			
<b>OMC V4 90° 125HP</b> Loop Charge  Coated Skirt	1988-94	4	3.685"/Std.	3119PS (Port)	\$120.00	3685KD	S493	CW24	W5218
			3.705"/.020	3119SS (Starb)		3705KD			
			3.715"/.030	3119P2 (Port)		3715KD			
			3.725"/.040	3119S2 (Starb)		3725KD			
<b>OMC V4 90° 125HP</b> Commercial Loop Charge  Coated Skirt	1989-94	4	3.685"/Std.	3119PS (Port)	\$120.00	3685KD	S493	CW24	W5218
			3.705"/.020	3119SS (Starb)		3705KD			
			3.715"/.030	3119P2 (Port)		3715KD			
			3.725"/.040	3119S2 (Starb)		3725KD			
<b>OMC V4 130HP</b> Loop Charge  Coated Skirt	1994-04	4	3.685"/Std.	3119PS (Port)	\$120.00	3685KD	S493	CW24	W5218
			3.705"/.020	3119SS (Starb)		3705KD			
			3.715"/.030	3119P2 (Port)		3715KD			
			3.725"/.040	3119S2 (Starb)		3725KD			
<b>OMC V4 135HP</b> Crossflow  Coated Skirt	1974-76	4	3.500"/Std.	3173PS	\$102.00	3500KD	S473	W5263	W5217
			3.520"/.020	3173P2		3520KD			
			3.530"/.030	3173P3		3530KD			
			3.544"/.044	3173P4		3544KD			
			3.564"/.064	3173P6		3564KD			
<b>Evinrude Johnson Ficht V6</b> <b>135HP</b>	1999 "O" Suffix, and all 2000-06	6	3.601"/Std.	3177PS (Port)	\$130.00	3600KD	S473	W5263	W5217
			3.621"/.020	3177SS (Starb)		3620KD			
			3.631"/.030	3177P2 (Port)		3630KD			
			3.641"/.040	3177S2 (Starb)		3640KD			
<b>OMC V4 140HP</b> Crossflow  Coated Skirt	1977-84	4	3.500"/Std.	3173PS	\$102.00	3500KD	S473	W5263	W5217
			3.520"/.020	3173P2		3520KD			
			3.530"/.030	3173P3		3530KD			
			3.544"/.044	3173P4		3544KD			
			3.564"/.064	3173P6		3564KD			
<b>OMC V4 140HP</b> Loop Charge	1985-87	4	3.500"/Std.	3118PS (Port)	\$120.00	3500KD	S493	CW24	W5218
			3.520"/.020	3118SS (Starb)		3520KD			
			3.530"/.030	3118P2 (Port)		3530KD			
			3.544"/.044	3118S2 (Starb)		3544KD			
<b>OMC V4 90° 140HP</b> Loop Charge  Coated Skirt	1988-94	4	3.685"/Std.	3119PS (Port)	\$120.00	3685KD	S493	CW24	W5218
			3.705"/.020	3119SS (Starb)		3705KD			
			3.715"/.030	3119P 2 (Port)		3715KD			
			3.725"/.040	3119S2 (Starb)		3725KD			

- Anodized for extra strength
- Semi-Keystone ring design offers maximum seal with less than 1% ring blow-by
- Wide range of over-sizes available for sleeved cylinders

Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per Piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
<b>OMC V6 150HP</b> Crossflow 	1978-91	6	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	<b>3173PS</b> 3173P2 3173P3 3173P4 3173P6	\$102.00	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>OMC V6 60° 150HP</b> Eagle Series 	1991-06	6	3.601"/Std. 3.621"/.020 3.631"/.030 3.641"/.040	<b>3133PS</b> (Port) 3133SS (Starb) 3133P2 (Port) 3133S2 (Starb) 3133P3 (Port) 3133S3 (Starb) 3133P4 (Port) 3133S4 (Starb)	\$125.00	3600KD 3620KD 3630KD 3640KD	S473	W5263	W5217
<b>Evinrude Johnson Ficht V6 150HP</b>	1999 "O" Suffix, and all 2000-06	6	3.601"/Std. 3.621"/.020 3.631"/.030 3.641"/.040	<b>3177PS</b> (Port) 3177SS (Starb) 3177P2 (Port) 3177S2 (Starb) 3177P3 (Port) 3177S3 (Starb) 3177P4 (Port) 3177S4 (Starb)	\$130.00	3600KD 3620KD 3630KD 3640KD	S473	W5263	W5217
<b>Evinrude 150HP &amp; 150 HO</b> E-Tec 	2007-08	6	3.600"/Std. 3.620"/.020 3.630"/.030 3.640"/.040	<b>3209PS</b> (Port) 3209SS (Starb) 3209P2 (Port) 3209S2 (Starb) 3209P3 (Port) 3209S3 (Starb) 3209P4 (Port) 3209S4 (Starb)	\$90.00	3600KD 3620KD 3630KD 3640KD	S473	W5263	TBA
<b>OMC V6 175HP</b> Crossflow 	1977-85	6	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	<b>3173PS</b> 3173P2 3173P3 3173P4 3173P6	\$102.00	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>OMC V6 175HP</b> Crossflow 	1986-91	6	3.625"/Std. 3.645"/.020 3.655"/.030 3.665"/.040	<b>3121PS</b> 3121P2 3121P3 3121P4	\$126.00	3625KD 3645KD 3655KD 3665KD	S473	W5263	W5217
<b>OMC V6 60° 175HP</b> Eagle Series 	1991-06	6	3.601"/Std. 3.621"/.020 3.631"/.030 3.641"/.040	<b>3133PS</b> (Port) 3133SS (Starb) 3133P2 (Port) 3133S2 (Starb) 3133P3 (Port) 3133S3 (Starb) 3133P4 (Port) 3133S4 (Starb)	\$125.00	3600KD 3620KD 3630KD 3640KD	S473	W5263	W5217
<b>Evinrude Johnson Ficht V6 175HP</b>	1999 "O" Suffix, and all 2000-06	6	3.601"/Std. 3.621"/.020 3.631"/.030 3.641"/.040	<b>3177PS</b> (Port) 3177SS (Starb) 3177P2 (Port) 3177S2 (Starb) 3177P3 (Port) 3177S3 (Starb) 3177P4 (Port) 3177S4 (Starb)	\$130.00	3600KD 3620KD 3630KD 3640KD	S473	W5263	W5217
<b>Evinrude 175</b> E-Tec 	2007-08	6	3.600"/Std. 3.620"/.020 3.630"/.030 3.640"/.040	<b>3209PS</b> (Port) 3209SS (Starb) 3209P2 (Port) 3209S2 (Starb) 3209P3 (Port) 3209S3 (Starb) 3209P4 (Port) 3209S4 (Starb)	\$90.00	3600KD 3620KD 3630KD 3640KD	S473	W5263	TBA
<b>OMC V6 185HP</b> Crossflow 	1985	6	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	<b>3173PS</b> 3173P2 3173P3 3173P4 3173P6	\$102.00	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217

Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per Piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
<b>OMC V6 200HP</b> Crossflow 	1976-83	6	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$102.00	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>OMC V6 200HP</b> Loop Charge	1986-87	6	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044	3118PS (Port) 3118SS (Starb) 3118P2 (Port) 3118S2 (Starb) 3118P3 (Port) 3118S3 (Starb) 3118P4 (Port) 3118S4 (Starb)	\$120.00	3500KD 3520KD 3530KD 3544KD	S493	CW24	W5218
<b>OMC V6 200HP</b> Loop Charge 	1988-92	6	3.685"/Std. 3.705"/.020 3.715"/.030 3.725"/.040	3119PS (Port) 3119SS (Starb) 3119P2 (Port) 3119S2 (Starb) 3119P3 (Port) 3119S3 (Starb) 3119P4 (Port) 3119S4 (Starb)	\$120.00	3685KD 3705KD 3715KD 3725KD	S493	CW24	W5218
<b>OMC V6 200HP Commercial</b> Loop Charge 	1990	6	3.685"/Std. 3.705"/.020 3.715"/.030 3.725"/.040	3119PS (Port) 3119SS (Starb) 3119P2 (Port) 3119S2 (Starb) 3119P3 (Port) 3119S3 (Starb) 3119P4 (Port) 3119S4 (Starb)	\$120.00	3685KD 3705KD 3715KD 3725KD	S493	CW24	W5218
<b>OMC V6 200HP</b> Loop Charge Finger Ported 	1993-00	6	3.685"/Std. 3.705"/.020 3.715"/.030 3.725"/.040	3143PS (Port) 3143SS (Starb) 3143P2 (Port) 3143S2 (Starb) 3143P3 (Port) 3143S3 (Starb) 3143P4 (Port) 3143S4 (Starb)	\$100.00	3685KD 3705KD 3715KD 3725KD	S493	CW24	W5218
<b>Evinrude Johnson Ficht</b> 200HP	1999-01	6	3.685"/Std. 3.705"/.020 3.715"/.030 3.725"/.040	3178PS (Port) 3178SS (Starb) 3178P2 (Port) 3178S2 (Starb) 3178P3 (Port) 3178S3 (Starb) 3178P4 (Port) 3178S4 (Starb)	\$130.00	3685KD 3705KD 3715KD 3725KD	S493	CW24	TBA
<b>Evinrude Johnson 200HP</b> 3.3 Liter, F Model Loop Charged	2000-05	6	3.854"/Std. 3.874"/.020 3.884"/.030 3.894"/.040	3180PS (Port) 3180SS (Starb) 3180P2 (Port) 3180S2 (Starb) 3180P3 (Port) 3180S3 (Starb) 3180P4 (Port) 3180S4 (Starb)	\$106.00	3854KD 3874KD 3884KD 3894KD	S493	W6045	
<b>Evinrude 200</b> E-Tec Small bore 60° 	2007-08	6	3.600"/Std. 3.620"/.020 3.630"/.030 3.640"/.040	3209PS (Port) 3209SS (Starb) 3209P2 (Port) 3209S2 (Starb) 3209P3 (Port) 3209S3 (Starb) 3209P4 (Port) 3209S4 (Starb)	\$90.00	3600KD 3620KD 3630KD 3640KD	S473	W5263	TBA
<b>Evinrude 200</b> E-Tec Big bore 90° 	2005-08	6	3.854"/Std. 3.874"/.020 3.884"/.030 3.894"/.040	3210PS (Port) 3210SS (Starb) 3210P2 (Port) 3210S2 (Starb) 3210P3 (Port) 3210S3 (Starb) 3210P4 (Port) 3210S4 (Starb)	\$108.00	3854KD 3874KD 3884KD 3894KD	S493	W6045	TBA

- Anodized for extra strength
- Semi-Keystone ring design offers maximum seal with less than 1% ring blow-by
- Wide range of over-sizes available for sleeved cylinders

Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per Piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
<b>OMC V6 225HP</b> Loop Charge 	1986-87	6	3.500"/Std.	3118PS (Port)	\$120.00	3500KD	S493	CW24	W5218
			3.520"/.020	3118SS (Starb)		3520KD			
			3.530"/.030	3118P2 (Port)		3530KD			
			3.544"/.044	3118S2 (Starb)		3544KD			
				3118P3 (Port)					
<b>OMC V6 225HP</b> Loop Charge 	1988-92	6	3.685"/Std.	3119PS (Port)	\$120.00	3685KD	S493	CW24	W5218
			3.705"/.020	3119SS (Starb)		3705KD			
			3.715"/.030	3119P2 (Port)		3715KD			
			3.725"/.040	3119S2 (Starb)		3725KD			
				3119P3 (Port)					
<b>OMC V6 225HP</b> Loop Charge Finger Ported 	1993-00	6	3.685"/Std.	3143PS (Port)	\$100.00	3685KD	S493	CW24	W5218
			3.705"/.020	3143SS (Starb)		3705KD			
			3.715"/.030	3143P2 (Port)		3715KD			
			3.725"/.040	3143S2 (Starb)		3725KD			
				3143P3 (Port)					
<b>Evinrude Johnson Ficht 225HP</b>	1999-01	6	3.685"/Std.	3178PS (Port)	\$130.00	3685KD	S493	CW24	TBA
			3.705"/.020	3178SS (Starb)		3705KD			
			3.715"/.030	3178P2 (Port)		3715KD			
			3.725"/.040	3178S2 (Starb)		3725KD			
				3178P3 (Port)					
<b>Evinrude Johnson 225HP</b> 3.3 Liter, F Model Loop Charged	2000-05	6	3.854"/Std.	3180PS (Port)	\$106.00	3854KD	S493	W6045	
			3.874"/.020	3180SS (Starb)		3874KD			
			3.884"/.030	3180P2 (Port)		3884KD			
			3.894"/.040	3180S2 (Starb)		3894KD			
				3180P3 (Port)					
<b>Evinrude 225HP</b> E-Tec 	2005 D-Model & 2006-08	6	3.854"/Std.	3210PS (Port)	\$108.00	3854KD	S493	W6045	TBA
			3.874"/.020	3210SS (Starb)		3874KD			
			3.884"/.030	3210P2 (Port)		3884KD			
			3.894"/.040	3210S2 (Starb)		3894KD			
				3210P3 (Port)					
<b>OMC V6 235HP</b> Crossflow 	1978-79	6	3.500"/Std.	3173PS	\$102.00	3500KD	S473	W5263	W5217
			3.520"/.020	3173P2		3520KD			
			3.530"/.030	3173P3		3530KD			
			3.544"/.044	3173P4		3544KD			
			3.564"/.064	3173P6		3564KD			
<b>OMC V6 235HP</b> Crossflow	1980-85	6	3.625"/Std.	3121PS	\$126.00	3625KD	S473	W5263	W5217
			3.645"/.020	3121P2		3645KD			
			3.655"/.030	3121P3		3655KD			
			3.665"/.040	3121P4		3665KD			
<b>OMC V6 250HP</b> Loop Charge 	1999-01	6	3.685"/Std.	3143PS (Port)	\$100.00	3685KD	S493	CW24	W5218
			3.705"/.020	3143SS (Starb)		3705KD			
			3.715"/.030	3143P2 (Port)		3715KD			
			3.725"/.040	3143S2 (Starb)		3725KD			
				3143P3 (Port)					



Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per Piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
<b>Evinrude Johnson 250HP</b> 3.3 Liter, F Model  Loop Charged	2000-05	6	3.854"/Std.	3180PS (Port)	\$106.00	3854KD	S493	W6045	
			3.874"/.020	3180SS (Starb)		3874KD			
			3.884"/.030	3180P2 (Port)		3884KD			
			3.894"/.040	3180S2 (Starb)		3894KD			
<b>Evinrude 250HP</b> E-Tec  	D Model 2005	6	3.854"/Std.	3210PS (Port)	\$108.00	3854KD	S493	W6045	TBA
			3.874"/.020	3210SS (Starb)		3874KD			
	3.884"/.030		3210P2 (Port)	3884KD					
	3.894"/.040		3210S2 (Starb)	3894KD					
<b>Evinrude 250HP</b> E-Tec 3.4 Liter  	2008	6	3.854"/Std.	3210PS (Port)	\$108.00	3854KD	S493	W6045	TBA
			3.874"/.020	3210SS (Starb)		3874KD			
			3.884"/.030	3210P2 (Port)		3884KD			
			3.894"/.040	3210S2 (Starb)		3894KD			
<b>OMC V8 250HP</b> Loop Charge  	1991-98	8	3.685"/Std.	3119PS (Port)	\$120.00	3685KD	S493	CW24	W5218
			3.705"/.020	3119SS (Starb)		3705KD			
			3.715"/.030	3119P2 (Port)		3715KD			
			3.725"/.040	3119S2 (Starb)		3725KD			
<b>OMC V8 275HP</b> Loop Charge  	1985-87	8	3.500"/Std.	3118PS (Port)	\$120.00	3500KD	S493	CW24	W5218
			3.520"/.020	3118SS (Starb)		3520KD			
			3.530"/.030	3118P2 (Port)		3530KD			
			3.544"/.044	3118S2 (Starb)		3544KD			
<b>OMC V8 275HP</b> Loop Charge  	1988	8	3.685"/Std.	3119PS (Port)	\$120.00	3685KD	S493	CW24	W5218
			3.705"/.020	3119SS (Starb)		3705KD			
			3.715"/.030	3119P2 (Port)		3715KD			
			3.725"/.040	3119S2 (Starb)		3725KD			
<b>OMC V8 300HP</b> Loop Charge  	1985-87	8	3.500"/Std.	3118PS (Port)	\$120.00	3500KD	S493	CW24	W5218
			3.520"/.020	3118SS (Starb)		3520KD			
			3.530"/.030	3118P2 (Port)		3530KD			
			3.544"/.044	3118S2 (Starb)		3544KD			
<b>OMC V8 90° 300HP</b> Loop Charge  	1988-95	8	3.685"/Std.	3119PS (Port)	\$120.00	3685KD	S493	CW24	W5218
			3.705"/.020	3119SS (Starb)		3705KD			
			3.715"/.030	3119P2 (Port)		3715KD			
			3.725"/.040	3119S2 (Starb)		3725KD			