

- Anodized for extra strength
- Semi-Keystone ring design offers maximum seal with less than 1% ring blow-by
- Wide range of over-sizes available for sleeved cylinders

Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
<b>OMC 9.9HP</b> Crossflow <i>Must use bearing kit part #W5215</i>	1974-80	2	2.188"/Std. 2.208"/.020 2.218"/.030	3136PS 3136P2 3136P3	\$92.83	2188KD 2208KD 2218KD	S510	W5413	W5215
<b>OMC 9.9HP</b> Crossflow	1981-92	2	2.188"/Std. 2.208"/.020 2.218"/.030	3136PS 3136P2 3136P3	\$92.83	2188KD 2208KD 2218KD	S510	W5413	W5215
<b>OMC 15HP</b> Crossflow <i>Must use bearing kit part #W5215</i>	1974-80	2	2.188"/Std. 2.208"/.020 2.218"/.030	3136PS 3136P2 3136P3	\$92.83	2188KD 2208KD 2218KD	S510	W5413	W5215
<b>OMC 15HP</b> Crossflow	1981-92	2	2.188"/Std. 2.208"/.020 2.218"/.030	3136PS 3136P2 3136P3	\$92.83	2188KD 2208KD 2218KD	S510	W5413	W5215
<b>OMC 18, 20HP Jet</b> Crossflow  <i>* Limited to available stock</i>	1995-00	2	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3127PS 3127P2 3127P3 *3127P4	\$140.38	3000KD 3020KD 3030KD 3040KD	S479	W5263	W5217
<b>OMC 20HP</b> Crossflow  <i>* Limited to available stock</i>	1985-98	2	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3127PS 3127P2 3127P3 *3127P4	\$140.38	3000KD 3020KD 3030KD 3040KD	S479	W5263	W5217
<b>OMC 25HP</b> Crossflow  <i>* Limited to available stock</i>	1977-80	2	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3128PS 3128P2 *3128P3 *3128P4	\$99.60	3000KD 3020KD 3030KD 3040KD	S502	CW16	
<b>OMC 25HP</b> Crossflow  <i>* Limited to available stock</i>	1981-05	2	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3127PS 3127P2 3127P3 *3127P4	\$140.38	3000KD 3020KD 3030KD 3040KD	S479	W5263	W5217
<b>OMC 25HP</b> Crossflow  <i>* Limited to available stock</i>	1986-96	2	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3127PS 3127P2 3127P3 *3127P4	\$140.38	3000KD 3020KD 3030KD 3040KD	S479	W5263	W5217
<b>OMC 28HP Jet</b> Loop Charge	1996-97	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$115.45	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>OMC 30HP</b> Crossflow  <i>* Limited to available stock</i>	1984-05	2	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3127PS 3127P2 3127P3 *3127P4	\$140.38	3000KD 3020KD 3030KD 3040KD	S479	W5263	W5217
<b>OMC 35HP</b> Crossflow  <i>* Limited to available stock</i>	1976-80	2	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3128PS 3128P2 *3128P3 *3128P4	\$99.60	3000KD 3020KD 3030KD 3040KD	S502	CW16	
<b>OMC 35HP</b> Crossflow  <i>* Limited to available stock</i>	1981-90	2	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3127PS 3127P2 3127P3 *3127P4	\$140.38	3000KD 3020KD 3030KD 3040KD	S479	W5263	W5217
<b>OMC 35HP</b> Loop Charge	1986-87	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$115.45	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>OMC 35HP</b> Jet Pump	1990-00	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$115.45	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>OMC 40HP</b> Loop Charge	1984-05	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$115.45	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>Evinrude 40HP</b> <i>NEW</i> DI & E-Tec	2004-07	2	3.601"/Std. 3.621"/.020 3.631"/.020 3.641"/.030	3211PS 3211P2 3211P3 3211P4	\$100.00	3600KD 3620KD 3630KD 3640KD	S473	W5263	TBA

Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
OMC 45HP Loop Charge	1986-97	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$115.45	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
OMC 48HP Loop Charge	1987-96	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$115.45	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
OMC 50HP Loop Charge	1981-05	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$115.45	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
OMC 50HP Loop Charge	1995-98	3	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3172PS 3172P2 3172P3 3172P4	\$125.59	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
Evinrude 50HP <b>NEW</b> DI & E-Tec	2004-07	2	3.601"/Std. 3.621"/.020 3.631"/.030 3.641"/.040	3211PS 3211P2 3211P3 3211P4	\$100.00	3600KD 3620KD 3630KD 3640KD	S473	W5263	TBA
OMC 55HP Loop Charge  * Limited to available stock	1976-78	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	*3125PS 3125P2 *3125P3 *3125P4	\$168.79	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
OMC 55HP Commercial Loop Charge	1980-00	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$115.45	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
OMC 60HP Loop Charge	1980-85	2	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3111PS 3111P2 3111P3 3111P4	\$115.45	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
Evinrude 60HP <b>NEW</b> DI & E-Tec	2004-07	2	3.601"/Std. 3.631"/.020 3.641"/.030	3211PS 3211P2 3211P3 3211P4	\$100.00	3600KD 3620KD 3630KD 3640KD	S473	W5263	TBA
OMC 60HP Loop Charge	1986-88	3	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3115PS 3115P2 3115P3 3115P4	\$120.32	3000KD 3020KD 3030KD 3040KD	S479	W5263	W5217
OMC 60HP Loop Charge	1989-01	3	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3172PS 3172P2 3172P3 3172P4	\$125.59	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
OMC 65HP Loop Charge  Must use bearing kit part #B1029	1972-73	3	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3115PS 3115P2 3115P3 3115P4	\$120.32	3000KD 3020KD 3030KD 3040KD	S479	W5263	B1029
OMC 65HP Commercial Loop Charge	1984-86	3	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3115PS 3115P2 3115P3 3115P4	\$120.32	3000KD 3020KD 3030KD 3040KD	S479	W5263	W5217
OMC 65HP Loop Charge	1986-93	3	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3172PS 3172P2 3172P3 3172P4	\$125.59	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
OMC V4 65HP Jet Crossflow	1992-97	4	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$109.23	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
OMC 70HP Loop Charge  Must use bearing kit part #B1029	1974-75	3	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3115PS 3115P2 3115P3 3115P4	\$120.32	3000KD 3020KD 3030KD 3040KD	S479	W5263	B1029

- Anodized for extra strength
- Semi-Keystone ring design offers maximum seal with less than 1% ring blow-by
- Wide range of over-sizes available for sleeved cylinders

Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
<b>OMC 70HP</b> Loop Charge	1976-85	3	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3115PS 3115P2 3115P3 3115P4	\$120.32	3000KD 3020KD 3030KD 3040KD	S479	W5263	W5217
<b>OMC 70HP</b> Loop Charge	1986-01	3	3.1875"/Std. 3.2075"/.020 3.2175"/.030 3.2275"/.040	3172PS 3172P2 3172P3 3172P4	\$125.59	3187KD 3207KD 3217KD 3227KD	S474	W5263	W5217
<b>OMC 75HP</b> Loop Charge <i>Must use bearing kit part #B1029</i>	1975	3	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3115PS 3115P2 3115P3 3115P4	\$120.32	3000KD 3020KD 3030KD 3040KD	S479	W5263	B1029
<b>OMC 75HP</b> Loop Charge	1976-88	3	3.000"/Std. 3.020"/.020 3.030"/.030 3.040"/.040	3115PS 3115P2 3115P3 3115P4	\$120.32	3000KD 3020KD 3030KD 3040KD	S479	W5263	W5217
<b>Evinrude 75HP</b> <b>NEW</b> DI & E-Tec	2004-07	3	3.601"/Std. 3.621"/.020 3.631"/.030 3.641"/.040	3211PS 3211P2 3211P3 3211P4	\$100.00	3600KD 3620KD 3630KD 3640KD	S473	W5263	TBA
<b>Evinrude Johnson Ficht V4 75HP</b> <i>* Limited to available stock</i>	2000-03	4	3.601"/Std. 3.621"/.020 3.631"/.030 3.641"/.040	3177PS (Port) 3177SS (Starb) 3177P2 (Port) 3177S2 (Starb) 3177P3 (Port) 3177S3 (Starb) *3177P4 (Port) *3177S4 (Starb)	\$143.32	3600KD 3620KD 3630KD 3640KD	S473	W5263	W5217
<b>OMC V4 80HP Jet</b> Crossflow	1991-97	4	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$109.23	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>Crossflow V4 85HP</b>	1974-78	4	3.375"/Std. 3.395"/.020 3.405"/.030	3176PS 3176P2 3176P3	\$123.99	3375KD 3395KD 3405KD	S474	W5263	W5217
<b>OMC V4 85HP</b> Crossflow	1979-80, 1991-95	4	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$109.23	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>OMC V4 88HP</b> Crossflow	1988-96	4	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$109.23	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>Evinrude 90HP</b> <b>NEW</b> DI & E-Tec	2004-07	3	3.601"/Std. 3.621"/.020 3.631"/.030 3.641"/.040	3211PS 3211P2 3211P3 3211P4	\$100.00	3600KD 3620KD 3630KD 3640KD	S473	W5263	TBA
<b>OMC V4 90HP</b> Crossflow	1981-98	4	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$109.23	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>OMC V4 60° 90HP</b> Eagle Series	1995-06	4	3.601"/Std. 3.621"/.020 3.631"/.030 3.641"/.040	3133PS (Port) 3133SS (Starb) 3133P2 (Port) 3133S2 (Starb) 3133P3 (Port) 3133S3 (Starb) 3133P4 (Port) 3133S4 (Starb)	\$142.33	3600KD 3620KD 3630KD 3640KD	S473	W5263	W5217

**Johnson • Evinrude**

Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
<b>Evinrude Johnson Ficht V4 90HP</b> <i>* Limited to available stock</i>	2000-02	4	3.601"/Std.	3177PS (Port)	\$143.32	3600KD	S473	W5263	W5217
			3.621"/.020	3177SS (Starb)		3620KD			
			3.631"/.030	3177P2 (Port)		3630KD			
			3.641"/.040	3177S2 (Starb)		3640KD			
<b>OMC V4 100HP Crossflow</b>	1979-80 & 1992-97	4	3.500"/Std.	3173PS	\$109.23	3500KD	S473	W5263	W5217
			3.520"/.020	3173P2		3520KD			
			3.530"/.030	3173P3		3530KD			
			3.544"/.044	3173P4		3544KD			
<b>OMC V4 100HP Commercial Crossflow</b>	1979-80 & 1984-97	4	3.500"/Std.	3173PS	\$109.23	3500KD	S473	W5263	W5217
			3.520"/.020	3173P2		3520KD			
			3.530"/.030	3173P3		3530KD			
			3.544"/.044	3173P4		3544KD			
<b>OMC V4 60° 105HP Jet Eagle Series</b>	1995-00	4	3.601"/Std.	3133PS (Port)	\$142.33	3600KD	S473	W5263	W5217
			3.621"/.020	3133SS (Starb)		3620KD			
			3.631"/.030	3133P2 (Port)		3630KD			
			3.641"/.040	3133S2 (Starb)		3640KD			
<b>OMC V4 100HP Crossflow</b>	1986-89	4	3.500"/Std.	3173PS	\$109.23	3500KD	S473	W5263	W5217
			3.520"/.020	3173P2		3520KD			
			3.530"/.030	3173P3		3530KD			
			3.544"/.044	3173P4		3544KD			
<b>OMC V4 110HP Crossflow</b>	1986-89	4	3.500"/Std.	3173PS	\$109.23	3500KD	S473	W5263	W5217
			3.520"/.020	3173P2		3520KD			
			3.530"/.030	3173P3		3530KD			
			3.544"/.044	3173P4		3544KD			
<b>OMC V4 112HP Crossflow</b>	1994-96	4	3.500"/Std.	3173PS	\$109.23	3500KD	S473	W5263	W5217
			3.520"/.020	3173P2		3520KD			
			3.530"/.030	3173P3		3530KD			
			3.544"/.044	3173P4		3544KD			
<b>OMC V4 115HP Crossflow</b>	1974-85, 1990-98	4	3.500"/Std.	3173PS	\$109.23	3500KD	S473	W5263	W5217
			3.520"/.020	3173P2		3520KD			
			3.530"/.030	3173P3		3530KD			
			3.544"/.044	3173P4		3544KD			
<b>OMC V4 60° 115HP Eagle Series</b>	1995-06	4	3.601"/Std.	3133PS (Port)	\$142.33	3600KD	S473	W5263	W5217
			3.621"/.020	3133SS (Starb)		3620KD			
			3.631"/.030	3133P2 (Port)		3630KD			
			3.641"/.040	3133S2 (Starb)		3640KD			
<b>Evinrude Johnson Ficht V4 115HP</b> <i>* Limited to available stock</i>	2000-06	4	3.601"/Std.	3177PS (Port)	\$143.32	3600KD	S473	W5263	W5217
			3.621"/.020	3177SS (Starb)		3620KD			
			3.631"/.030	3177P2 (Port)		3630KD			
			3.641"/.040	3177S2 (Starb)		3640KD			
<b>Evinrude 115HP <span style="color: blue;">NEW</span> E-Tec</b>	2007-08	4	3.583"/Std.	3209PS (Port)	\$100.00	3584KD	S473	W5263	TBA
			3.604"/.020	3209SS (Starb)		3604KD			
			3.624"/.030	3209P2 (Port)		3625KD			
				3209S2 (Starb)					

- Anodized for extra strength
- Semi-Keystone ring design offers maximum seal with less than 1% ring blow-by
- Wide range of over-sizes available for sleeved cylinders

Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
<b>OMC V4 120HP</b> Loop Charge	1985-87	4	3.500"/Std.	3118PS (Port)	\$117.31	3500KD	S493	CW24	W5218
			3.520"/.020	3118SS (Starb)		3520KD			
			3.530"/.030	3118P2 (Port)		3530KD			
			3.544"/.044	3118S2 (Starb)		3544KD			
<b>OMC V4 120HP</b> Loop Charge	1988-94	4	3.685"/Std.	3119PS (Port)	\$125.62	3685KD	S493	CW24	W5218
			3.705"/.020	3119SS (Starb)		3705KD			
			3.715"/.030	3119P2 (Port)		3715KD			
			3.725"/.040	3119S2 (Starb)		3725KD			
<b>OMC V4 90° 125HP</b> Loop Charge	1988-94	4	3.685"/Std.	3119PS (Port)	\$125.62	3685KD	S493	CW24	W5218
			3.705"/.020	3119SS (Starb)		3705KD			
			3.715"/.030	3119P2 (Port)		3715KD			
			3.725"/.040	3119S2 (Starb)		3725KD			
<b>OMC V4 90° 125HP</b> Commercial Loop Charge	1989-94	4	3.685"/Std.	3119PS (Port)	\$125.62	3685KD	S493	CW24	W5218
			3.705"/.020	3119SS (Starb)		3705KD			
			3.715"/.030	3119P2 (Port)		3715KD			
			3.725"/.040	3119S2 (Starb)		3725KD			
<b>OMC V4 130HP</b> Loop Charge	1994-04	4	3.685"/Std.	3119PS (Port)	\$125.62	3685KD	S493	CW24	W5218
			3.705"/.020	3119SS (Starb)		3705KD			
			3.715"/.030	3119P2 (Port)		3715KD			
			3.725"/.040	3119S2 (Starb)		3725KD			
<b>OMC V4 135HP</b> Crossflow	1974-76	4	3.500"/Std.	3173PS	\$109.23	3500KD	S473	W5263	W5217
			3.520"/.020	3173P2		3520KD			
			3.530"/.030	3173P3		3530KD			
			3.544"/.044	3173P4		3544KD			
			3.564"/.064	3173P6		3564KD			
<b>Evinrude Johnson Ficht V6</b> <b>135HP</b>  <i>* Limited to available stock</i>	1999 "O" Suffix, and all 2000-06	6	3.601"/Std.	3177PS (Port)	\$143.32	3600KD	S473	W5263	W5217
			3.621"/.020	3177SS (Starb)		3620KD			
			3.631"/.030	3177P2 (Port)		3630KD			
			3.641"/.040	3177S2 (Starb)		3640KD			
<b>OMC V4 140HP</b> Crossflow	1977-84	4	3.500"/Std.	3173PS	\$109.23	3500KD	S473	W5263	W5217
			3.520"/.020	3173P2		3520KD			
			3.530"/.030	3173P3		3530KD			
			3.544"/.044	3173P4		3544KD			
			3.564"/.064	3173P6		3564KD			
<b>OMC V4 140HP</b> Loop Charge	1985-87	4	3.500"/Std.	3118PS (Port)	\$117.31	3500KD	S493	CW24	W5218
			3.520"/.020	3118SS (Starb)		3520KD			
			3.530"/.030	3118P2 (Port)		3530KD			
			3.544"/.044	3118S2 (Starb)		3544KD			

**Johnson • Evinrude**

Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
<b>OMC V4 90° 140HP</b> Loop Charge	1988-94	4	3.685"/Std.	3119PS (Port)	\$121.96	3685KD	S493	CW24	W5218
			3.705"/.020	3119SS (Starb)		3705KD			
			3.715"/.030	3119P 2 (Port)		3715KD			
			3.725"/.040	3119S2 (Starb)		3725KD			
				3119P3 (Port)					
	3119S3 (Starb)								
			3119P4 (Port)						
			3119S4 (Starb)						
<b>OMC V6 150HP</b> Crossflow	1978-91	6	3.500"/Std.	3173PS	\$109.23	3500KD	S473	W5263	W5217
			3.520"/.020	3173P2		3520KD			
			3.530"/.030	3173P3		3530KD			
			3.544"/.044	3173P4		3544KD			
			3.564"/.064	3173P6		3564KD			
<b>OMC V6 60° 150HP</b> Eagle Series	1991-06	6	3.601"/Std.	3133PS (Port)	\$142.33	3600KD	S473	W5263	W5217
			3.621"/.020	3133SS (Starb)		3620KD			
			3.631"/.030	3133P2 (Port)		3630KD			
			3.641"/.040	3133S2 (Starb)		3640KD			
				3133P3 (Port)					
	3133S3 (Starb)								
			3133P4 (Port)						
			3133S4 (Starb)						
<b>Evinrude Johnson Ficht V6 150HP</b> <i>* Limited to available stock</i>	1999 "O" Suffix, and all 2000-06	6	3.601"/Std.	3177PS (Port)	\$143.32	3600KD	S473	W5263	W5217
			3.621"/.020	3177SS (Starb)		3620KD			
			3.631"/.030	3177P2 (Port)		3630KD			
			3.641"/.040	3177S2 (Starb)		3640KD			
				3177P3 (Port)					
	3177S3 (Starb)								
			*3177P4 (Port)						
			*3177S4 (Starb)						
<b>Evinrude 150HP &amp; 150 HO</b> E-Tec <b>NEW</b>	2007-08	6	3.583"/Std.	3209PS (Port)	\$100.00	3584KD	S473	W5263	TBA
			3.604"/.020	3209SS (Starb)		3604KD			
			3.624"/.030	3209P2 (Port)		3625KD			
				3209S2 (Starb)					
				3209P4 (Port)					
			3209S4 (Starb)						
<b>OMC V6 175HP</b> Crossflow	1977-85	6	3.500"/Std.	3173PS	\$109.23	3500KD	S473	W5263	W5217
			3.520"/.020	3173P2		3520KD			
			3.530"/.030	3173P3		3530KD			
			3.544"/.044	3173P4		3544KD			
			3.564"/.064	3173P6		3564KD			
<b>OMC V6 175HP</b> Crossflow	1986-91	6	3.625"/Std.	3121PS	\$139.20	3625KD	S473	W5263	W5217
			3.645"/.020	3121P2		3645KD			
			3.655"/.030	3121P3		3655KD			
			3.665"/.040	3121P4		3665KD			
<b>OMC V6 60° 175HP</b> Eagle Series	1991-06	6	3.601"/Std.	3133PS (Port)	\$142.33	3600KD	S473	W5263	W5217
			3.621"/.020	3133SS (Starb)		3620KD			
			3.631"/.030	3133P2 (Port)		3630KD			
			3.641"/.040	3133S2 (Starb)		3640KD			
				3133P3 (Port)					
	3133S3 (Starb)								
			3133P4 (Port)						
			3133S4 (Starb)						
<b>Evinrude Johnson Ficht V6 175HP</b> <i>* Limited to available stock</i>	1999 "O" Suffix, and all 2000-06	6	3.601"/Std.	3177PS (Port)	\$143.32	3600KD	S473	W5263	W5217
			3.621"/.020	3177SS (Starb)		3620KD			
			3.631"/.030	3177P2 (Port)		3630KD			
			3.641"/.040	3177S2 (Starb)		3640KD			
				3177P3 (Port)					
	3177S3 (Starb)								
			*3177P4 (Port)						
			*3177S4 (Starb)						
<b>Evinrude 175</b> E-Tec <b>NEW</b>	2007-08	6	3.583"/Std.	3209PS (Port)	\$100.00	3584KD	S473	W5263	TBA
			3.604"/.020	3209SS (Starb)		3604KD			
			3.624"/.030	3209P2 (Port)		3625KD			
				3209S2 (Starb)					
				3209P4 (Port)					
			3209S4 (Starb)						
<b>OMC V6 185HP</b> Crossflow	1985	6	3.500"/Std.	3173PS	\$109.23	3500KD	S473	W5263	W5217
			3.520"/.020	3173P2		3520KD			
			3.530"/.030	3173P3		3530KD			
			3.544"/.044	3173P4		3544KD			
			3.564"/.064	3173P6		3564KD			

- Anodized for extra strength
- Semi-Keystone ring design offers maximum seal with less than 1% ring blow-by
- Wide range of over-sizes available for sleeved cylinders

Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
<b>OMC V6 200HP</b> Crossflow	1976-83	6	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044 3.564"/.064	3173PS 3173P2 3173P3 3173P4 3173P6	\$109.23	3500KD 3520KD 3530KD 3544KD 3564KD	S473	W5263	W5217
<b>OMC V6 200HP</b> Loop Charge	1986-87	6	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044	3118PS (Port) 3118SS (Starb) 3118P2 (Port) 3118S2 (Starb) 3118P3 (Port) 3118S3 (Starb) 3118P4 (Port) 3118S4 (Starb)	\$117.31	3500KD 3520KD 3530KD 3544KD	S493	CW24	W5218
<b>OMC V6 200HP</b> Loop Charge	1988-92	6	3.685"/Std. 3.705"/.020 3.715"/.030 3.725"/.040	3119PS (Port) 3119SS (Starb) 3119P2 (Port) 3119S2 (Starb) 3119P3 (Port) 3119S3 (Starb) 3119P4 (Port) 3119S4 (Starb)	\$125.62	3685KD 3705KD 3715KD 3725KD	S493	CW24	W5218
<b>OMC V6 200HP Commercial</b> Loop Charge	1990	6	3.685"/Std. 3.705"/.020 3.715"/.030 3.725"/.040	3119PS (Port) 3119SS (Starb) 3119P2 (Port) 3119S2 (Starb) 3119P3 (Port) 3119S3 (Starb) 3119P4 (Port) 3119S4 (Starb)	\$125.62	3685KD 3705KD 3715KD 3725KD	S493	CW24	W5218
<b>OMC V6 200HP</b> Loop Charge <i>Finger Ported</i>	1993-00	6	3.685"/Std. 3.705"/.020 3.715"/.030 3.725"/.040	3143PS (Port) 3143SS (Starb) 3143P2 (Port) 3143S2 (Starb) 3143P3 (Port) 3143S3 (Starb) 3143P4 (Port) 3143S4 (Starb)	\$126.79	3685KD 3705KD 3715KD 3725KD	S493	CW24	W5218
<b>Evinrude Johnson Ficht</b> <b>200HP</b>  <i>* Limited to available stock</i>	1999-01	6	3.685"/Std. 3.705"/.020 3.715"/.030 3.725"/.040	3178PS (Port) 3178SS (Starb) 3178P2 (Port) 3178S2 (Starb) 3178P3 (Port) 3178S3 (Starb) 3178P4 (Port) *3178S4 (Starb)	\$143.32	3685KD 3705KD 3715KD 3725KD	S493	CW24	TBA
<b>Evinrude Johnson 200HP</b> 3.3 Liter, F Model  Loop Charged	2000-05	6	3.854"/Std. 3.874"/.020 3.884"/.030 3.894"/.040	3180PS (Port) 3180SS (Starb) 3180P2 (Port) 3180S2 (Starb) 3180P3 (Port) 3180S3 (Starb) 3180P4 (Port) 3180S4 (Starb)	\$117.57	3854KD 3874KD 3884KD 3894KD	S493	W6045	
<b>Evinrude 200</b> <b>NEW</b> E-Tec Small bore 60°	2007-08	6	3.583"/Std. 3.604"/.020 3.624"/.030	3209PS (Port) 3209SS (Starb) 3209P2 (Port) 3209S2 (Starb) 3209P4 (Port) 3209S4 (Starb)	\$100.00	3584KD 3604KD 3625KD	S473	W5263	TBA
<b>Evinrude 200</b> <b>NEW</b> E-Tec Big bore 90°	2005-08	6	3.854"/Std. 3.874"/.020 3.884"/.030 3.894"/.040	3210PS (Port) 3210SS (Starb) 3210P2 (Port) 3210S2 (Starb) 3210P3 (Port) 3210S3 (Starb) 3210P4 (Port) 3210S4 (Starb)	\$120.00	3854KD 3874KD 3884KD 3894KD	S493	W6045	TBA

**Johnson • Evinrude**

Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
<b>OMC V6 225HP</b> Loop Charge	1986-87	6	3.500"/Std.	3118PS (Port)	\$117.31	3500KD	S493	CW24	W5218
			3.520"/.020	3118SS (Starb)					
			3.530"/.030	3118P2 (Port)					
			3.544"/.044	3118S2 (Starb)					
<b>OMC V6 225HP</b> Loop Charge	1988-92	6	3.685"/Std.	3119PS (Port)	\$125.62	3685KD	S493	CW24	W5218
			3.705"/.020	3119SS (Starb)					
			3.715"/.030	3119P2 (Port)					
			3.725"/.040	3119S2 (Starb)					
<b>OMC V6 225HP</b> Loop Charge Finger Ported	1993-00	6	3.685"/Std.	3143PS (Port)	\$126.79	3685KD	S493	CW24	W5218
			3.705"/.020	3143SS (Starb)					
			3.715"/.030	3143P2 (Port)					
			3.725"/.040	3143S2 (Starb)					
<b>Evinrude Johnson Ficht 225HP</b>	1999-01	6	3.685"/Std.	3178PS (Port)	\$143.32	3685KD	S493	CW24	TBA
			3.705"/.020	3178SS (Starb)					
			3.715"/.030	3178P2 (Port)					
			3.725"/.040	3178S2 (Starb)					
<b>Evinrude Johnson 225HP</b> 3.3 Liter, F Model Loop Charged	2000-05	6	3.854"/Std.	3180PS (Port)	\$117.57	3854KD	S493	W6045	
			3.874"/.020	3180SS (Starb)					
			3.884"/.030	3180P2 (Port)					
			3.894"/.040	3180S2 (Starb)					
<b>Evinrude 225HP</b> <i>NEW</i> E-Tec	D Model 2005	6	3.854"/Std.	3210PS (Port)	\$120.00	3854KD	S493	W6045	TBA
			3.874"/.020	3210SS (Starb)					
	2006-08		3.884"/.030	3210P2 (Port)					
			3.894"/.040	3210S2 (Starb)					
<b>OMC V6 235HP</b> Crossflow	1978-79	6	3.500"/Std.	3173PS	\$109.23	3500KD	S473	W5263	W5217
			3.520"/.020	3173P2					
			3.530"/.030	3173P3					
			3.544"/.044	3173P4					
<b>OMC V6 235HP</b> Crossflow	1980-85	6	3.625"/Std.	3121PS	\$139.20	3625KD	S473	W5263	W5217
			3.645"/.020	3121P2					
			3.655"/.030	3121P3					
			3.665"/.040	3121P4					
<b>OMC V6 250HP</b> Loop Charge	1999-01	6	3.685"/Std.	3143PS (Port)	\$126.79	3685KD	S493	CW24	W5218
			3.705"/.020	3143SS (Starb)					
			3.715"/.030	3143P2 (Port)					
			3.725"/.040	3143S2 (Starb)					

- Anodized for extra strength
- Semi-Keystone ring design offers maximum seal with less than 1% ring blow-by
- Wide range of over-sizes available for sleeved cylinders

Model	Years	No. of Cyl.	Bore Size	Piston Part No.	Price per piston	Repl. Ring Part No.	Repl. Piston Pin Part No.	Repl. Retainer Part No.	Piston Pin Bearing Part No.
<b>Evinrude Johnson 250HP</b> 3.3 Liter, F Model  Loop Charged	2000-05	6	3.854"/Std. 3.874"/.020 3.884"/.030 3.894"/.040	3180PS (Port) 3180SS (Starb) 3180P2 (Port) 3180S2 (Starb) 3180P3 (Port) 3180S3 (Starb) 3180P4 (Port) 3180S4 (Starb)	\$117.57	3854KD 3874KD 3884KD 3894KD	S493	W6045	
<b>Evinrude 250HP</b> <i>NEW</i> E-Tec	D Model 2005  2006-08	6	3.854"/Std. 3.874"/.020 3.884"/.030 3.894"/.040	3210PS (Port) 3210SS (Starb) 3210P2 (Port) 3210S2 (Starb) 3210P3 (Port) 3210S3 (Starb) 3210P4 (Port) 3210S4 (Starb)	\$120.00	3854KD 3874KD 3884KD 3894KD	S493	W6045	TBA
<b>Evinrude 250HP</b> <i>NEW</i> E-Tec 3.4 Liter	2008	6	3.854"/Std. 3.874"/.020 3.884"/.030 3.894"/.040	3210PS (Port) 3210SS (Starb) 3210P2 (Port) 3210S2 (Starb) 3210P3 (Port) 3210S3 (Starb) 3210P4 (Port) 3210S4 (Starb)	\$120.00	3854KD 3874KD 3884KD 3894KD	S493	W6045	TBA
<b>OMC V8 250HP</b> Loop Charge	1991-98	8	3.685"/Std. 3.705"/.020 3.715"/.030 3.725"/.040	3119PS (Port) 3119SS (Starb) 3119P2 (Port) 3119S2 (Starb) 3119P3 (Port) 3119S3 (Starb) 3119P4 (Port) 3119S4 (Starb)	\$125.62	3685KD 3705KD 3715KD 3725KD	S493	CW24	W5218
<b>OMC V8 275HP</b> Loop Charge	1985-87	8	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044	3118PS (Port) 3118SS (Starb) 3118P2 (Port) 3118S2 (Starb) 3118P3 (Port) 3118S3 (Starb) 3118P4 (Port) 3118S4 (Starb)	\$117.31	3500KD 3520KD 3530KD 3544KD	S493	CW24	W5218
<b>OMC V8 275HP</b> Loop Charge	1988	8	3.685"/Std. 3.705"/.020 3.715"/.030 3.725"/.040	3119PS (Port) 3119SS (Starb) 3119P2 (Port) 3119S2 (Starb) 3119P3 (Port) 3119S3 (Starb) 3019P4 (Port) 3119S4 (Starb)	\$125.62	3685KD 3705KD 3715KD 3725KD	S493	CW24	W5218
<b>OMC V8 300HP</b> Loop Charge	1985-87	8	3.500"/Std. 3.520"/.020 3.530"/.030 3.544"/.044	3118PS (Port) 3118SS (Starb) 3118P2 (Port) 3118S2 (Starb) 3118P3 (Port) 3118S3 (Starb) 3118P4 (Port) 3118S4 (Starb)	\$117.31	3500KD 3520KD 3530KD 3544KD	S493	CW24	W5218
<b>OMC V8 90° 300HP</b> Loop Charge	1988-95	8	3.685"/Std. 3.705"/.020 3.715"/.030 3.725"/.040	3119PS (Port) 3119SS (Starb) 3119P2 (Port) 3119S2 (Starb) 3119P3 (Port) 3119S3 (Starb) 3119P4 (Port) 3119S4 (Starb)	\$125.62	3685KD 3705KD 3715KD 3725KD	S493	CW24	W5218
<b>Evinrude 300HP</b> <i>NEW</i> E-Tec 3.4 Liter	2008	6	3.854"/Std. 3.874"/.020 3.884"/.030 3.894"/.040	TBA					