

## KAWASAKI • Street Bikes & Overbore Piston Kits

Displacement	Bore Size Stroke	Kit Part #	Comp. Ratio	Cylinder Modification & Replacement Parts <i>Replacement pistons sold complete with: Piston pin, retainer clips &amp; rings</i>
<b>KRZ150 1996 • Pro-Lite™</b>				
<b>Single Cylinder</b>				
<b>59.00mm</b>	59 x 54.5			Electrofusion bore- cylinder resleeving or replating required for oversizes. International bore is not available in the United States. Piston: 683M05900 <b>\$108.11</b> Rings: 2323CD Piston Pins: S558 Retainer Clips: CW16
<b>500S • Triple Cylinder</b>				
<b>500 H1</b>				
<b>500 KH</b>				
<b>Mach III</b>				
<b>Kit includes: (3) pistons, (3) rings, (3) piston pins, (3) retainer clips</b>				
<b>60.50mm</b>	60 x	<b>K101</b> <b>\$485.52</b>		Piston: 149M06050 <b>\$161.84</b> Rings: 2382CD Piston Pin: S256 Retainer Clips: CW16 Top End Bearing: B1021 <b>\$16.96</b>
<b>61.00mm</b>	59.7	<b>K102</b> <b>\$485.52</b>		Piston: 149M06100 <b>\$161.84</b> Rings: 2402CD Piston Pin: S256 Retainer Clips: CW16 Top End Bearing: B1021 <b>\$16.96</b>
<b>61.50mm</b>		<b>K103</b> <b>\$534.09</b>		Piston: 149M06150 <b>\$178.03</b> Rings: 2421CD Piston Pin: S256 Retainer Clips: CW16 Top End Bearing: B1021 <b>\$16.96</b>
<b>62.00mm</b>		<b>K104</b> <b>\$534.09</b>		Piston: 149M06200 <b>\$178.03</b> Rings: 2441CD Piston Pin: S256 Retainer Clips: CW16 Top End Bearing: B1021 <b>\$16.96</b>
<b>750 Mach IV • Triple Cylinder</b>				
<b>750 H2</b>				
<b>Kit includes: (3) pistons, (3) rings, (3) piston pins, (3) retainer clips</b>				
<b>71.00 mm</b>	71 x	<b>K105</b> <b>\$550.98</b>		Piston: 423M07100 <b>\$183.66</b> Rings: 2795CD Piston Pin: S259 Retainer Clips: CW16 Top End Bearing: B1005 <b>\$16.96</b>
<b>71.50 mm</b>	63	<b>K106</b> <b>\$550.98</b>		Piston: 423M07150 <b>\$183.66</b> Rings: 2816CD Piston Pin: S259 Retainer Clips: CW16 Top End Bearing: B1005 <b>\$16.96</b>
<b>72.00 mm</b>		<b>K107</b> <b>\$550.98</b>		Piston: 423M07200 <b>\$183.66</b> Rings: 2835CD Piston Pin: S259 Retainer Clips: CW16 Top End Bearing: B1005 <b>\$16.96</b>
<b>72.50 mm</b>		<b>K108</b> <b>\$606.09</b>		Piston: 423M07250 <b>\$202.03</b> Rings: 2854CD Piston Pin: S259 Retainer Clips: CW16 Top End Bearing: B1005 <b>\$16.96</b>
<b>73.00 mm</b>		<b>K109</b> <b>\$606.09</b>		Piston: 423M07300 <b>\$202.03</b> Rings: 2874CD Piston Pin: S259 Retainer Clips: CW16 Top End Bearing: B1005 <b>\$16.96</b>
<b>73.50 mm</b>		<b>K110</b> <b>\$606.09</b>		Piston: 423M07350 <b>\$202.03</b> Rings: 2894CD Piston Pin: S259 Retainer Clips: CW16 Top End Bearing: B1005 <b>\$16.96</b>
<b>ZX, KZ, GP2550 1982-95</b>				
<b>Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) CFM20 Head Gasket</b>				
<b>615cc</b>	2.402" or 61.00mm 3mm oversize Stroke - 52.59mm	<b>K615</b> <b>\$664.05</b>	10.25:1	Cylinder boring only Piston: 4185M06100 <b>\$152.00</b> Rings: 2402XA Piston Pins: S394 Retainer Clips: CW14 CFM20 Head Gasket: W3162 <b>\$56.05</b>
<b>ZX6R Ninja 1995-99</b>				
<b>Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) Spring Steel Head Gasket</b>				
<b>617cc</b>	2.638" or 67.00mm 1mm oversize Stroke - 43.74	<b>R613</b> <b>\$728.44</b>	11.8:1	Cylinder boring only Piston: 4583M06700 <b>\$159.47</b> Rings: 2638XA Piston Pins: S554 Retainer Clips: CW16 Spring Steel Head Gasket: W5476 <b>\$90.56</b> Optional: Base Gasket: W6050 <b>\$34.75</b>
<b>ZX6RR Ninja 2000-02</b>				
<b>ZZR600 2005-07</b>				
<b>Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) Spring Steel Head Gasket</b>				
<b>618cc</b>	2.638" or 67.00mm 1mm oversize Stroke - 43.80mm	<b>CK108</b> <b>\$729.88</b>	13:1	Cylinder boring and replating required Piston: 4700M06700 <b>\$159.83</b> Rings: 2638XA Piston Pins: S554 Retainer Clips: CW16 Spring Steel Head Gasket: W5476 <b>\$90.56</b> Optional: Base Gasket: W6050 <b>\$34.75</b>
<b>637cc</b>	2.677" or 68.00mm 2mm oversize Stroke - 43.80mm	<b>CK120</b> <b>\$729.88</b>	13.4:1	Cylinder boring and replating required Piston: 4700M06800 <b>\$159.83</b> Rings: 2677XA Piston Pins: S554 Retainer Clips: CW16 Spring Steel Head Gasket: W5476 <b>\$90.56</b> Optional: Base Gasket: W6050 <b>\$34.75</b>

# KAWASAKI • Street Bikes & Overbore Piston Kits

Displacement	Bore Size Stroke	Kit Part #	Comp. Ratio	Cylinder Modification & Replacement Parts <i>Replacement pistons sold complete with: Piston pin, retainer clips &amp; rings</i>
<b>ZX6R Ninja 2003-05 (Skirt Coated)</b>				
<b>Kit includes: (4) Pistons, Ring Sets, Piston Pins, and Retainer Clips</b>				
<b>636cc</b>	2.677" or 68.00mm STD Stroke - 43.80mm	<b>CK175</b> \$646.52	12.9:1	Cylinder deglazing required Piston: 4874M06800 \$161.63 Rings: 2677XA Piston Pins: S686 Retainer Clips: CW16 Optional Spring Steel Head Gasket: W6359 \$90.56
<b>655cc</b>	2.716" or 69.00mm 1mm oversize Stroke - 43.80mm	<b>CK176</b> \$646.52	13.1:1	Cylinder boring and replating required Piston: 4874M06900 \$161.63 Rings: 2717XA Piston Pins: S686 Retainer Clips: CW16 Optional Spring Steel Head Gasket: W6360 \$90.56
<b>674cc</b>	2.756" or 70.00mm 2mm oversize Stroke - 43.80mm	<b>CK202</b> \$698.04	13.5:1	Cylinder boring and replating required Piston: 4874M07000 \$174.51 Rings: 2756XA Piston Pins: S686 Retainer Clips: CW16 Optional Spring Steel Head Gasket: W6630 \$90.56
<b>KZ650 1976-83</b>				
<b>Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) CFM20 Head Gasket</b>				
<b>700cc</b>	2.520" or 64.00mm 2mm oversize Stroke - 54.38	<b>K700</b> \$664.05	10.25:1	Cylinder boring only Piston: 4037M06400 \$152.00 Rings: 2520XC Piston Pins: S522 Retainer Clips: CW15 CFM20 Head Gasket: W2486 \$56.05
<b>ZN, KZ, GPZ 750 1980-85</b>				
<b>Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) CFM20 Head Gasket</b>				
<b>810cc</b>	2.717" or 69.00mm 3mm oversize Stroke - 54.14mm	<b>K810</b> \$664.05	10.25:1	Cylinder boring only Piston: 4186M06900 \$152.00 Rings: 2717XC Piston Pins: S526 Retainer Clips: CW15 CFM20 Head Gasket: W3163 \$56.05 Optional Sleeve: KA686SL \$71.68
<b>ZX750 E1, Turbo</b>				
<b>Kit includes: (4) Pistons, Ring Sets, Piston Pins, and Retainer Clips. Head Gasket not supplied with kit - Copper head gasket recommended</b>				
<b>810cc</b>	2.717" or 69.00mm 3mm oversize Stroke - 54.14mm	<b>P809B</b> \$670.40	8:1	Cylinder boring only Piston: 4335M06900 \$167.60 Rings: 2717XC Piston Pins: S259 Retainer Clips: CW16 Optional Sleeve: KA686SL \$71.68
<b>ZX750, ZX750R, ZX7 1991-95</b>				
<b>Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) Spring Steel Head Gasket</b>				
<b>765cc</b>	2.835" or 72.00mm 1mm oversize Stroke - 47.24mm	<b>R766</b> \$755.44	12:1	Cylinder boring only Piston: 4518M07200 \$166.22 Rings: 2835XA Piston Pins: S537 Retainer Clips: CW18 Spring Steel Head Gasket: W5534 \$90.56 Optional Base Gasket: W6051 \$34.75
<b>ZX7R, ZX7RR 1996-03</b>				
<b>Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) Spring Steel Head Gasket</b>				
<b>748cc</b>	2.874" or 73.00mm Standard Stroke - 49.7mm	<b>CK110</b> \$755.44	13:1	Cylinder deglazing required Piston: 4702M07300 \$166.22 Rings: 2874XA Piston Pins: S537 Retainer Clips: CW18 Spring Steel Head Gasket: W5886 \$90.56 Optional Base Gasket: W6052 \$34.75
<b>779cc</b>	2.933" or 74.50mm 1.5mm oversize Stroke - 49.7mm	<b>CK111</b> \$755.44	12.5:1	Cylinder boring only Piston: 4703M07450 \$166.22 Rings: 2933XA Piston Pins: S537 Retainer Clips: CW18 Spring Steel Head Gasket: W5887 \$90.56 Optional Base Gasket: W6052 \$34.75
<b>ZX9R 1994-97</b>				
<b>Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) Spring Steel Head Gasket</b>				
<b>950cc</b>	2.953" or 75.00mm 2mm oversize Stroke - 53.74mm	<b>R951</b> \$755.44	13:1	Cylinder boring only Piston: 4591M07500 \$166.22 Rings: 2953XG Piston Pins: S343 Retainer Clips: CW18 Spring Steel Head Gasket: W5440 \$90.56 Optional Base Gasket: W6051 \$34.75
<b>ZX9R 1998-99</b>				
<b>Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) Spring Steel Head Gasket</b>				
<b>923cc</b>	2.992" or 76.00mm 1mm oversize Stroke - 50.87mm	<b>R923</b> \$755.44	12:1	Cylinder boring only Piston: 4652M07600 \$166.22 Rings: 2992XG Piston Pins: S343 Retainer Clips: CW18 Spring Steel Head Gasket: W5687 \$90.56 Optional Base Gasket: W6053 \$34.75
<b>ZX9R 2000-03</b>				
<b>Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) Spring Steel Head Gasket</b>				
<b>923cc</b>	2.992" or 76.00mm 1mm oversize Stroke - 50.87mm	<b>R923</b> \$755.44	12:1	Cylinder boring and replating required Piston: 4652M07600 \$166.22 Rings: 2992XG Piston Pins: S343 Retainer Clips: CW18 Spring Steel Head Gasket: W5687 \$90.56 Optional Base Gasket: W6053 \$34.75
<b>973cc</b>	3.0708" or 78.00mm 3mm oversize Stroke - 50.9mm	<b>CK129</b> \$755.44	13.5:1	Cylinder boring and replating required Piston: 4757M07800 \$166.22 Rings: 3071XG Piston Pins: S524 Retainer Clips: CW18 Spring Steel Head Gasket: W6029 \$90.56 Optional Base Gasket: W6054 \$34.75

Fuel Management  
Crankshafts  
Cams/Valves  
Clutch  
Top End  
European  
Dirt  
Street  
Honda  
Dirt  
ATV  
Street  
Kawasaki  
Dirt  
ATV  
Street  
KTM  
Dirt  
ATV  
Street  
Polaris  
ATV  
Suzuki  
Dirt  
ATV  
Street  
Yamaha  
Dirt  
ATV  
Street  
PWC  
Sleeves  
Rings  
Accessories  
Apparel

## KAWASAKI • Street Bikes & Overbore Piston Kits

Displacement	Bore Size Stroke	Kit Part #	Comp. Ratio	Cylinder Modification & Replacement Parts <i>Replacement pistons sold complete with: Piston pin, retainer clips &amp; rings</i>
<b>ZX10-R 2004-07</b>				
Kit includes: (4) pistons, Ring Sets, Piston Pins and Retainer Clips				
<b>998cc</b>	2.992" or 76.00mm Standard Stroke - 55mm	<b>CK157</b> \$685.36	13.5:1	Cylinder deglazing required Piston: 4853M07600 \$171.34    Rings: 2992XG    Piston Pins: S688 Retainer Clips: CW17 Optional Head Gasket: (2004-'05 W6654 \$74.15) (2006-'07 W6655 \$81.77)
<b>1051cc</b>	3.070" or 78.00mm 2mm oversize Stroke - 55mm	<b>CK158</b> \$753.92	13.5:1	Cylinder boring and replating required Piston: 4853M07800 \$188.48    Rings: 3071XG    Piston Pins: S688 Retainer Clips: CW17 Optional Spring Steel Head Gasket: (2004-'05 W6321 \$90.56), (2006-'07 W6656 \$81.77)
<b>GPZ900R Ninja, Eliminator thru 1987</b>				
Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) CFM20 Head Gasket				
<b>972cc</b>	2.953" or 75.00mm 2.5mm oversize Stroke - 55mm	<b>K972</b> \$677.17	11:1	Cylinder boring only Piston: 4415M07500 \$155.28    Rings: 2953XG    Piston Pins: S555 Retainer Clips: CW18    CFM20 Head Gasket: W3885 \$56.05 Optional Sleeve: KA863SL    Optional Base Gasket: W6055 \$34.75
<b>KZ1000J, KZ1000R 1981-83 (17mm pin)</b>				
Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) CFM20 Head Gasket				
<b>1075cc</b>	2.835" or 72.00mm 2.5mm oversize Stroke - 66mm	<b>K1076</b> \$664.77	10.25:1	Cylinder boring only Piston: 4548M07200 \$152.18    Rings: 2835XC    Piston Pins: S523 Retainer Clips: CW17    CFM20 Head Gasket: W3918 \$56.05 Optional Base Gasket: W5026 \$34.75
<b>1105cc</b>	2.874" or 73.00mm 3.5mm oversize Stroke - 66mm	<b>K1106</b> \$664.77	10.25:1	Cylinder boring only Piston: 4548M07300 \$152.18    Rings: 2874XC    Piston Pins: S523 Retainer Clips: CW17    CFM20 Head Gasket: W3918 \$56.05 Optional Base Gasket: W5026 \$34.75
<b>GPZ1000RX Ninja 1986-87 GTR1000 1986-00 (18mm pin)</b>				
Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) CFM20 Head Gasket				
<b>1039cc</b>	2.973" or 75.50mm 1.5mm oversize Stroke - 58mm	<b>K1039</b> \$677.18	11:1	Cylinder boring only Piston: 4413M07550 \$155.28    Rings: 2973XG    Piston Pins: S555 Retainer Clips: CW18    CFM20 Head Gasket: W3885 \$56.05
<b>ZX10, ZX1000 Ninja, Tom Cat 1988-89</b>				
Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) Spring Steel Head Gasket				
<b>1039cc</b>	2.973" or 75.50mm 1.5mm oversize Stroke - 58mm	<b>K1040</b> \$711.68	11:1	Cylinder boring only Piston: 4445M07550 \$155.28    Rings: 2973XG    Piston Pins: S555 Retainer Clips: CW18    Spring Steel Head Gasket: W5533 \$90.56 Optional Base Gasket: W6055 \$34.75
<b>ZX11 C1 1990-94 ZX11 D1 1993-01 ZZR1100 1990-01 ZRX1100 1997-01 GPZ1100 1995-97</b>				
Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) Spring Steel Head Gasket				
<b>1109cc</b>	3.071" or 78.00mm 2mm oversize Stroke - 58mm	<b>R1052</b> \$755.44	12:1	Cylinder boring only Piston: 4578M07800 \$166.22    Rings: 3071XG    Piston Pins: S524 Retainer Clips: CW18    Spring Steel Head Gasket: W5486 \$90.56 Optional Base Gasket: W6057 \$34.75

# KAWASAKI • Street Bikes & Overbore Piston Kits

Displacement	Bore Size Stroke	Kit Part #	Comp. Ratio	Cylinder Modification & Replacement Parts
<b>KZ900, KZ1000, KZ1000 ST thru 1980 Z1R, Z2R 1977-80</b>				
Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) Overbore Head Gasket				
Base gaskets and sleeves are supplied as noted				
<b>1015cc</b>	2.756" or 70.00mm Standard for KZ1000 4mm oversize for KZ900 Stroke - 65.93mm	<b>K1015</b> \$678.37	10.25:1	Cylinder boring only for KZ900 Piston: 4020M07000 \$152.00 Retainer Clips: CW17 CFM20 Head Gasket: W3917 \$56.05 Fiber Base Gasket: W5380 \$14.32 Drop in kit for KZ1000 Rings: 2756XC Piston Pins: S523 Optional Sleeve: KA627SL, 3099FA \$72.18
<b>1045cc</b>	2.795" or 71.00mm 1mm oversize for KZ1000 5mm oversize for KZ900 Stroke - 65.93mm	<b>K1045</b> \$678.37	10.25:1	Cylinder boring only Piston: 4022M07100 \$152.00 Retainer Clips: CW17 CFM20 Head Gasket: W3917 \$56.05 Fiber Base Gasket: W5380 \$14.32 Rings: 2795XC Piston Pins: S523 Optional Sleeve: KA627SL, 3099FA \$72.18
<b>1075cc</b>	2.835" or 72.00mm 2mm oversize for KZ1000 Stroke - 65.93mm	<b>K10741</b> \$638.53	9:1	Cylinder boring only Resleeving required for KZ900 Piston: 4379M07200 \$142.04 Retainer Clips: CW17 CFM20 Head Gasket: W3918 \$56.05 Fiber Base Gasket: W5380 \$14.32 Rings: 2835XC Piston Pins: S523 Optional Sleeve: KA627SL, 3099FA \$72.18
<b>1075cc</b>	2.835" or 72.00mm 2mm oversize for KZ1000 Stroke - 65.93mm	<b>K10751</b> \$678.37	10.25:1	Cylinder boring only Resleeving required for KZ900 Piston: 4052M07200 \$152.00 Retainer Clips: CW17 CFM20 Head Gasket: W3918 \$56.05 Fiber Base Gasket: W5380 \$14.32 Rings: 2835XC Piston Pins: S523 Optional Sleeve: KA627SL, 3099FA \$72.18
<b>1075cc</b>	2.835" or 72.00mm 2mm oversize for KZ1000 Stroke - 65.93mm	<b>K1075</b> \$967.09	10.25:1	Resleeving required for KZ900 Piston: 4052M07200 \$152.00 Retainer Clips: CW17 CFM20 Head Gasket: W3918 \$56.05 Fiber Base Gasket: W5380 \$14.32 Rings: 2835XC Piston Pins: S523 Sleeve: KA627SL, 3099FA \$72.18
<b>1075cc</b>	2.835" or 72.00mm 2mm oversize for KZ1000 Stroke - 65.93mm	<b>R1075</b> \$707.49	12:1	Resleeving required for KZ900 Cylinder boring only for KZ1000 Piston: 4227M07200 \$159.47 Retainer Clips: CW17 CFM20 Head Gasket: W3918 \$56.05 Fiber Base Gasket: W5380 \$14.32 Rings: 2835XC Piston Pins: S523 Optional Sleeve: KA627SL, 3099FA \$72.18
<b>1105cc</b>	2.874" or 73.00mm 3mm oversize for KZ1000 Stroke - 65.93mm	<b>K1105</b> \$958.97	10.25:1	Resleeving and crankcase cleanup required for KZ900 Piston: 4052M07300 \$152.00 Retainer Clips: CW17 CFM20 Head Gasket: W3918 \$56.05 Fiber Base Gasket: W5380 \$14.32 Rings: 2874XC Piston Pins: S523 Sleeve: KA629SL, 3030FA \$70.15
<b>1105cc</b>	2.874" or 73.00mm 3mm oversize for KZ1000 Stroke - 65.93mm	<b>K11051</b> \$678.37	10.25:1	Cylinder boring only for KZ1000 Piston: 4052M07300 \$152.00 Retainer Clips: CW17 CFM20 Head Gasket: W3918 \$56.05 Fiber Base Gasket: W5380 \$14.32 Rings: 2874XC Piston Pins: S523 Optional Sleeve: KA629SL, 3030FA \$70.15
<b>1135cc</b>	2.913" or 74.00mm 4mm oversize for KZ1000 Stroke - 65.93mm	<b>K1135</b> \$958.97	10.25:1	Resleeving and crankcase cleanup required Piston: 4052M07400 \$152.00 Retainer Clips: CW17 CFM20 Head Gasket: W3918 \$56.05 Fiber Base Gasket: W5380 \$14.32 Rings: 2913XC Piston Pins: S523 Sleeve: KA629SL, 3030FA \$70.15



- Fuel Management
- Crankshafts
- Cams/Valves
- Clutch
- Top End
- European
  - Dirt
  - Street
- Honda
  - Dirt
  - ATV
  - Street
- Kawasaki
  - Dirt
  - ATV
  - Street
- KTM
  - Dirt
  - ATV
  - Street
- Polaris
  - ATV
- Suzuki
  - Dirt
  - ATV
  - Street
- Yamaha
  - Dirt
  - ATV
  - Street
- PWC
- Sleeves
- Rings
- Accessories
- Apparel

## KAWASAKI • Street Bikes & Overbore Piston Kits

Displacement	Bore Size Stroke	Kit Part #	Comp. Ratio	Cylinder Modification & Replacement Parts <i>Replacement pistons sold complete with: Piston pin, retainer clips &amp; rings</i>
<b>KZ900, KZ1000, KZ1000 ST thru 1980 Z1R, Z2R 1977-80</b>				
Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) Overbore Head Gasket Base gaskets and sleeves are supplied as noted				
<b>1197cc</b>	2.992" or 76.00mm 6mm oversize for KZ1000 Stroke - 65.93mm	<b>K1200</b> \$958.97	10.25:1	Resleeving and crankcase cleanup required. Piston: 4177M07600 \$152.00 Rings: 2992XG Piston Pins: S523 Retainer Clips: CW17 CFM20 Head Gasket: W3919 \$56.05 Fiber Base Gasket: W5380 \$14.32 KA629SL, 3030FA \$70.15
<b>1327cc</b>	3.150" or 80.00mm 10mm oversize for KZ1000 Stroke - 65.93mm	<b>K1325</b> \$943.85	10.25:1	Resleeving and crankcase cleanup required. Piston: 4287M08000 \$148.22 Rings: 3150XG Piston Pins: S523 Retainer Clips: CW17 CFM20 Head Gasket: W3921 \$56.05 Fiber Base Gasket: W5364 \$14.32 Optional Sleeve: KA773SL, 3031FA \$70.15
<b>1428cc</b>	3.268" or 83.00mm 13mm oversize for KZ1000 Stroke - 65.93mm	<b>P1425</b> \$672.53	13.5:1	Resleeving and crankcase cleanup required. Drag Racing Only Piston (Left): 4248M08300 \$152.20 Rings: 3268XG Piston Pins: S557 Retainer Clips: CW17 Piston (Right): 4249M08300 \$152.20 Optional Sleeve: KA773SL, 3031FA \$70.15 Copper Head Gasket: W5948 \$64.53 Optional Base Gasket: W5363 \$34.75
<b>KZ, GPZ, Pro Stock Gas Ported (2-Valve)</b>				
Kit includes: (4) Pistons with 45 Degree Angle Domes, 17mm Pin Holes, Ring Sets, Piston Pins and Retainer Clips - Gaskets not included				
<b>1497cc</b>	3.347" or 85.00mm 15mm oversize for KZ1000 Stroke - 65.93mm	<b>P1494</b> \$714.04	13.5:1	Pro Stock - Drag Racing only Extensive cylinder head machining required Piston: 4563M08500 \$178.51 Rings: 3347XC Piston Pins: S557 Retainer Clips: CW17 Optional Base Gasket: W5363 \$34.75 Big Block required
<b>GPZ1100 1981-82 (17mm pin)</b>				
Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, (1) CFM20 Head Gasket and (1) Fiber Base Gasket				
<b>1135cc</b>	2.913" or 74.00mm 1.5mm oversize Stroke - 65.99mm	<b>K1136</b> \$679.65	10.25:1	Cylinder boring only Piston: 4256M07400 \$152.32 Rings: 2913XC Piston Pins: S523 Retainer Clips: CW17 Composite Head Gasket: W3918 \$56.05 Fiber Base Gasket: W5496 \$14.32 Optional Sleeve: KA629SL, 3030FA \$70.15
<b>1166cc</b>	2.953" or 75.00mm 2.5mm oversize Stroke - 65.99mm	<b>K1171</b> \$679.65	10.25:1	Cylinder boring only Piston: 4255M07500 \$152.32 Rings: 2953XG Piston Pins: S523 Retainer Clips: CW17 CFM-20 Head Gasket: W5963 \$56.05 Fiber Base Gasket: W5496 \$14.32 Optional Sleeve: KA629SL, 3030FA \$70.15
<b>KZ1100, GPZ1100, GPZX1100, ZX1100 1983-84 (18mm pin)</b>				
Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, (1) CFM20 Head Gasket and (1) Fiber Base Gasket				
<b>1170cc</b>	2.953" or 75.00mm 2.5mm oversize Stroke - 66.2mm	<b>K1173</b> \$691.49	9.5:1	Cylinder boring only Piston: 4380M07500 \$155.28 Rings: 2953XG Piston Pins: S555 Retainer Clips: CW18 CFM-20 Head Gasket: W5963 \$56.05 Fiber Base Gasket: W5496 \$14.32 Optional Sleeve: KA629SL, 3030FA \$70.15
<b>1170cc</b>	2.953" or 75.00mm 2.5mm oversize Stroke - 66.2mm	<b>K1172</b> \$691.49	10.25:1	Cylinder boring only Piston: 4302M07500 \$155.28 Rings: 2953XG Piston Pins: S555 Retainer Clips: CW18 CFM-20 Head Gasket: W5963 \$56.05 Fiber Base Gasket: W5496 \$14.32 Optional Sleeve: KA629SL, 3030FA \$70.15
<b>1262cc</b>	3.071" or 78.00mm 5.5mm oversize Stroke - 66.2mm	<b>K1262</b> \$972.09	10.25:1	Resleeving required Piston: 4304M07800 \$155.28 Rings: 3071XG Piston Pins: S555 Retainer Clips: CW18 Composite Head Gasket: W3920 \$56.05 Fiber Base Gasket: W5496 \$14.32 Optional Sleeve: KA750SL, 3010FA \$70.15
<b>ZX12R 2000-05</b>				
Kit includes: (4) Pistons, Ring Sets, Piston Pins, Retainer Clips, and (1) Spring Steel Head Gasket				
<b>1198cc</b>	3.2677" or 83.00mm STD Bore Stroke - 55.40mm	<b>CK132</b> \$751.97	13.5:1	Cylinder deglazing required Piston: 4765M08300 \$166.22 Rings: 3268XG Piston Pins: S527 Retainer Clips: CW21 Spring Steel Head Gasket: W6316 \$87.09 Optional Base Gasket: W6058 \$31.64
<b>1272cc</b>	3.3661" or 85.50mm 2.5mm oversize Stroke - 55.40mm	<b>CK133</b> \$755.44	13.5:1	Cylinder boring and replating required Piston: 4766M08550 \$166.22 Rings: 8550XX Piston Pins: S527 Retainer Clips: CW21 Spring Steel Head Gasket: W6037 \$90.56 Optional Base Gasket: W6058 \$31.64